



### Battery BMS list

No	Model	Continuous discharge current	Size
1	Lithium ion battery 3S 12V BMS	10A	59x34x9mm
		15A	59x34x9mm
		20A	59x34x9mm
		30A	75x48x9mm
		40A	75x48x9mm
		50A	80x61x16mm
		60A	80x61x16mm
		80A	150x66x18mm
		100A	166x65x24mm
		120A	210x95x20mm
		150A	210x95x20mm
		200A	220x120x36mm
		250A	220x120x36mm
2	Lithium ion battery 7S 24V BMS	15A	59x34x9mm
		20A	59x34x9mm
		30A	75x48x9mm
		40A	75x48x9mm
		50A	80x61x16mm
		60A	80x61x16mm
		80A	150x66x19mm
		100A	166x65x24mm
		120A	212x95x20mm
		150A	212x95x20mm
		200A	221x130x32mm
		250A	221x130x32mm
		3	Lithium ion battery 10S 36V BMS
20A	59x34x9mm		
30A	80x61x12mm		
40A	80x61x12mm		
50A	80x61x16mm		
60A	80x61x16mm		
80A	150x66x19mm		
100A	166x66x24mm		
120A	212x95x20mm		
150A	212x95x20mm		
200A	221x130x32mm		
250A	221x130x32mm		
4	Lithium ion battery 13S 48V BMS		
		20A	63x50x9mm
		30A	80x61x12mm
		40A	80x61x12mm
		50A	80x61x16mm

		60A	80x61x16mm
		80A	150x66x19mm
		100A	166x65x24mm
		120A	212x95x20mm
		150A	212x95x20mm
5	Lithium ion battery 17S 60V BMS	30A	80x61x12mm
		40A	80x61x12mm
		50A	80x61x16mm
		60A	80x61x16mm
		80A	150x66x19mm
		100A	166x66x24mm
		120A	212x95x20mm
		150A	212x95x20mm
		200A	221x130x32mm
		250A	221x130x32mm
6	Lithium ion battery 20S 72V BMS	30A	125x66x12mm
		40A	125x66x12mm
		50A	125x66x16mm
		60A	125x66x16mm
		80A	150x66x19mm
		100A	166x66x24mm
		120A	212x95x20mm
		150A	212x95x20mm

No.	Model	Continuous discharge current	communication mode	Size
1	Lifepo4 4S 12V BMS	30A	Bluetooth	80x61x16mm
		30A	485	80x61x16mm
		40A	Bluetooth	80x61x16mm
		40A	485	80x61x16mm
		60A	Bluetooth	80x61x16mm
		60A	485	80x61x16mm
		80A	Bluetooth	150x66x19mm
		80A	485	150x66x19mm
		100A	Bluetooth	166x65x24mm
		100A	485	166x65x24mm
2	Lifepo4 8S 24V BMS	30A	Bluetooth	128x66x18mm
		30A	Bluetooth/485	128x66x18mm
		30A	Bluetooth/485/CAN	128x66x18mm
		40A	Bluetooth	128x66x18mm
		40A	Bluetooth/485	128x66x18mm
		40A	Bluetooth/485/CAN	128x66x18mm
		60A	Bluetooth	128x66x18mm
		60A	Bluetooth/485	128x66x18mm
		60A	Bluetooth/485/CAN	128x66x18mm
		80A	Bluetooth	150x66x19mm
		80A	Bluetooth/485	150x66x19mm
		80A	Bluetooth/485/CAN	150x66x19mm
		100A	Bluetooth	166x65x24mm
		100A	Bluetooth/485	166x65x24mm
100A	Bluetooth/485/CAN	166x65x24mm		
3	Lifepo4 12S 36V BMS	30A	Bluetooth	128x66x18mm
		30A	Bluetooth/485	128x66x18mm
		30A	Bluetooth/485/CAN	128x66x18mm
		40A	Bluetooth	128x66x18mm
		40A	Bluetooth/485	128x66x18mm
		40A	Bluetooth/485/CAN	128x66x18mm
		60A	Bluetooth	128x66x18mm
		60A	Bluetooth/485	128x66x18mm
		60A	Bluetooth/485/CAN	128x66x18mm
		80A	Bluetooth	150x66x19mm
		80A	Bluetooth/485	150x66x19mm
		80A	Bluetooth/485/CAN	150x66x19mm
		100A	Bluetooth	166x65x24mm
		100A	Bluetooth/485	166x65x24mm
100A	Bluetooth/485/CAN	166x65x24mm		
4	Lifepo4 16S 48V BMS	30A	Bluetooth	128x66x18mm
		30A	Bluetooth/485	128x66x18mm
		30A	Bluetooth/485/CAN	128x66x18mm
		40A	Bluetooth	128x66x18mm
		40A	Bluetooth/485	128x66x18mm
		40A	Bluetooth/485/CAN	128x66x18mm
		60A	Bluetooth	128x66x18mm
		60A	Bluetooth/485	128x66x18mm
		60A	Bluetooth/485/CAN	128x66x18mm
		80A	Bluetooth	150x66x19mm
		80A	Bluetooth/485	150x66x19mm
		80A	Bluetooth/485/CAN	150x66x19mm
		100A	Bluetooth	166x65x24mm
		100A	Bluetooth/485	166x65x24mm
		100A	Bluetooth/485/CAN	166x65x24mm
				120A
		120A	Bluetooth/485	212x95x20mm
		120A	Bluetooth/485/CAN	212x95x20mm
		150A	Bluetooth	212x95x20mm

		150A	Bluetooth/485	212x95x20mm
		150A	Bluetooth/485/CAN	212x95x20mm
		200A	Bluetooth	221x130x32mm
		200A	Bluetooth/485	221x130x32mm
		200A	Bluetooth/485/CAN	221x130x32mm
5	Lifepo4 20S 60V BMS	30A	Bluetooth	158x95x18mm
		30A	Bluetooth/485	158x95x18mm
		30A	Bluetooth/485/CAN	158x95x18mm
		40A	Bluetooth	158x95x18mm
		40A	Bluetooth/485	158x95x18mm
		40A	Bluetooth/485/CAN	158x95x18mm
		60A	Bluetooth	158x95x18mm
		60A	Bluetooth/485	158x95x18mm
		60A	Bluetooth/485/CAN	158x95x18mm
		80A	Bluetooth	158x95x18mm
		80A	Bluetooth/485	158x95x18mm
		80A	Bluetooth/485/CAN	158x95x18mm
		100A	Bluetooth	212x95x20mm
		100A	Bluetooth/485	212x95x20mm
		100A	Bluetooth/485/CAN	212x95x20mm
		120A	Bluetooth	212x95x20mm
		120A	Bluetooth/485	212x95x20mm
		120A	Bluetooth/485/CAN	212x95x20mm
		150A	Bluetooth	212x95x20mm
		150A	Bluetooth/485	212x95x20mm
		150A	Bluetooth/485/CAN	212x95x20mm
		200A	Bluetooth	221x130x32mm
		200A	Bluetooth/485	221x130x32mm
		200A	Bluetooth/485/CAN	221x130x32mm
6	Lifepo4 24S 72V BMS	30A	Bluetooth	158x95x18mm
		30A	Bluetooth/485	158x95x18mm
		30A	Bluetooth/485/CAN	158x95x18mm
		40A	Bluetooth	158x95x18mm
		40A	Bluetooth/485	158x95x18mm
		40A	Bluetooth/485/CAN	158x95x18mm
		60A	Bluetooth	158x95x18mm
		60A	Bluetooth/485	158x95x18mm
		60A	Bluetooth/485/CAN	158x95x18mm
		80A	Bluetooth	158x95x18mm
		80A	Bluetooth/485	158x95x18mm
		80A	Bluetooth/485/CAN	158x95x18mm
		100A	Bluetooth	212x95x20mm
		100A	Bluetooth/485	212x95x20mm
		100A	Bluetooth/485/CAN	212x95x20mm
		120A	Bluetooth	209x120x50mm
		120A	Bluetooth/485	209x120x50mm
		120A	Bluetooth/485/CAN	209x120x50mm
		150A	Bluetooth	209x120x50mm
		150A	Bluetooth/485	209x120x50mm
		150A	Bluetooth/485/CAN	209x120x50mm
		200A	Bluetooth	235x130x52mm
		200A	Bluetooth/485	235x130x52mm
		200A	Bluetooth/485/CAN	235x130x52mm
7	USB to UART cable			
8	Bluetooth module			
9	USB to 485 cable			
10	USB to CAN data box			
11	BMS power indicator			
12	BMS Touch Control Screen			

No.	Model	Continuous discharge current	communication mode	Size
1	Lithium ion battery 3S 12V BMS	30A	Bluetooth	80x61x16mm
		30A	485	80x61x16mm
		40A	Bluetooth	80x61x16mm
		40A	485	80x61x16mm
		60A	Bluetooth	80x61x16mm
		60A	485	80x61x16mm
		80A	Bluetooth	150x66x19mm
		80A	485	150x66x19mm
		100A	Bluetooth	166x65x24mm
		100A	485	166x65x24mm
2	Lithium ion battery 7S 24V BMS	30A	Bluetooth	128x66x18mm
		30A	Bluetooth/485	128x66x18mm
		30A	Bluetooth/485/CAN	128x66x18mm
		40A	Bluetooth	128x66x18mm
		40A	Bluetooth/485	128x66x18mm
		40A	Bluetooth/485/CAN	128x66x18mm
		60A	Bluetooth	128x66x18mm
		60A	Bluetooth/485	128x66x18mm
		60A	Bluetooth/485/CAN	128x66x18mm
		80A	Bluetooth	150x66x19mm
		80A	Bluetooth/485	150x66x19mm
		80A	Bluetooth/485/CAN	150x66x19mm
		100A	Bluetooth	166x65x24mm
		100A	Bluetooth/485	166x65x24mm
100A	Bluetooth/485/CAN	166x65x24mm		
3	Lithium ion battery 10S 36V BMS	30A	Bluetooth	128x66x18mm
		30A	Bluetooth/485	128x66x18mm
		30A	Bluetooth/485/CAN	128x66x18mm
		40A	Bluetooth	128x66x18mm
		40A	Bluetooth/485	128x66x18mm
		40A	Bluetooth/485/CAN	128x66x18mm
		60A	Bluetooth	128x66x18mm
		60A	Bluetooth/485	128x66x18mm
		60A	Bluetooth/485/CAN	128x66x18mm
		80A	Bluetooth	150x66x19mm
		80A	Bluetooth/485	150x66x19mm
		80A	Bluetooth/485/CAN	150x66x19mm
		100A	Bluetooth	166x65x24mm
		100A	Bluetooth/485	166x65x24mm
100A	Bluetooth/485/CAN	166x65x24mm		
4	Lithium ion battery 13S 48V BMS	30A	Bluetooth	128x66x18mm
		30A	Bluetooth/485	128x66x18mm
		30A	Bluetooth/485/CAN	128x66x18mm
		40A	Bluetooth	128x66x18mm
		40A	Bluetooth/485	128x66x18mm
		40A	Bluetooth/485/CAN	128x66x18mm
		60A	Bluetooth	128x66x18mm
		60A	Bluetooth/485	128x66x18mm
		60A	Bluetooth/485/CAN	128x66x18mm
		80A	Bluetooth	150x66x19mm
		80A	Bluetooth/485	150x66x19mm
		80A	Bluetooth/485/CAN	150x66x19mm
		100A	Bluetooth	166x65x24mm
		100A	Bluetooth/485	166x65x24mm
		100A	Bluetooth/485/CAN	166x65x24mm
		120A	Bluetooth	212x95x20mm
		120A	Bluetooth/485	212x95x20mm
		120A	Bluetooth/485/CAN	212x95x20mm
		150A	Bluetooth	212x95x20mm
		150A	Bluetooth/485	212x95x20mm
150A	Bluetooth/485/CAN	212x95x20mm		
200A	Bluetooth	221x130x32mm		
200A	Bluetooth/485	221x130x32mm		
200A	Bluetooth/485/CAN	221x130x32mm		

5	Lithium ion battery 17S 60V BMS	30A	Bluetooth	158x95x18mm
		30A	Bluetooth/485	158x95x18mm
		30A	Bluetooth/485/CAN	158x95x18mm
		40A	Bluetooth	158x95x18mm
		40A	Bluetooth/485	158x95x18mm
		40A	Bluetooth/485/CAN	158x95x18mm
		60A	Bluetooth	158x95x18mm
		60A	Bluetooth/485	158x95x18mm
		60A	Bluetooth/485/CAN	158x95x18mm
		80A	Bluetooth	158x95x18mm
		80A	Bluetooth/485	158x95x18mm
		80A	Bluetooth/485/CAN	158x95x18mm
		100A	Bluetooth	212x95x20mm
		100A	Bluetooth/485	212x95x20mm
		100A	Bluetooth/485/CAN	212x95x20mm
		120A	Bluetooth	212x95x20mm
		120A	Bluetooth/485	212x95x20mm
		120A	Bluetooth/485/CAN	212x95x20mm
		150A	Bluetooth	212x95x20mm
		150A	Bluetooth/485	212x95x20mm
		150A	Bluetooth/485/CAN	212x95x20mm
200A	Bluetooth	221x130x32mm		
200A	Bluetooth/485	221x130x32mm		
200A	Bluetooth/485/CAN	221x130x32mm		
6	Lithium ion battery 20S 72V BMS	30A	Bluetooth	158x95x18mm
		30A	Bluetooth/485	158x95x18mm
		30A	Bluetooth/485/CAN	158x95x18mm
		40A	Bluetooth	158x95x18mm
		40A	Bluetooth/485	158x95x18mm
		40A	Bluetooth/485/CAN	158x95x18mm
		60A	Bluetooth	158x95x18mm
		60A	Bluetooth/485	158x95x18mm
		60A	Bluetooth/485/CAN	158x95x18mm
		80A	Bluetooth	158x95x18mm
		80A	Bluetooth/485	158x95x18mm
		80A	Bluetooth/485/CAN	158x95x18mm
		100A	Bluetooth	212x95x20mm
		100A	Bluetooth/485	212x95x20mm
		100A	Bluetooth/485/CAN	212x95x20mm
		120A	Bluetooth	209x120x50mm
		120A	Bluetooth/485	209x120x50mm
		120A	Bluetooth/485/CAN	209x120x50mm
		150A	Bluetooth	209x120x50mm
		150A	Bluetooth/485	209x120x50mm
		150A	Bluetooth/485/CAN	209x120x50mm
200A	Bluetooth	235x130x52mm		
200A	Bluetooth/485	235x130x52mm		
200A	Bluetooth/485/CAN	235x130x52mm		
7	USB to UART cable			
8	Bluetooth module			
9	USB to 485 cable			
10	USB to CAN data box			
11	BMS power indicator			
12	BMS Touch Control Screen			